

FOURBANTM

(4 LAYER COMPRESSION BANDAGE)



Outcare Medical Devices Pvt Ltd
Second Floor, Amit Plaza, Somajiguda Circle,
Hyderabad-500 082, Telangana
Visit us on www.outcaremed.com

FOURBAN™

(4 LAYER COMPRESSION BANDAGE)



FOURBAN

4 LAYER COMPRESSION BANDAGE provides compression, reduces edema in CVI - Chronic venous insufficiency (with/ without wound) and lymphatic disorders

FEATURES OF THE PRODUCT:

- Fourban provides sustain level of graduated compression throughout the wear time.
- Layer 1-Orthopaedic bandage provides cushioning effect and protects the bony prominence.
- Layer 2-Confirming bandage protects the bony prominence with mild compression.
- Layer 3 -Compression bandage provides the graduated compression from ankle to the calf and minimizes the edema and increases venous return. (Figure of 8 application)
- Layer 4- Cohesive bandage contributes sustain compression and holds the dressing throughout the wear time.
- Fewer dressing changes, wear time of dressing is up to seven days and it is cost-effective.

INDICATIONS:

- CVI- Chronic venous insufficiency (with/without wound)
- Lymphatic disorders (Edema, edematous limbs)
- Elephantiasis

CONTRAINDICATIONS:

- Advanced peripheral obstructive arterial disease (ankle brachial pressure index [ABPI] <0.8mmHg)
- Systemic arterial pressure <80 mm Hg at ankle.
- Phlegmasia cerulea dolens.
- Uncontrolled congestive heart failure.
- Abscesses.
- Septic phlebitis.
- Advanced peripheral neuropathy

References: 1. Partsch H. Compression therapy of the legs. A review. *J Dermatol Surg Oncol* 1991; 17(10): 799-805.

2. Partsch H, Menzinger G, Mostbeck A. Inelastic leg compression is more effective to reduce deep venous refluxes than elastic bandages. *Dermatol Surg* 1999; 25(9): 695-700.

3. Scottish Intercollegiate Guidelines Network. The Care of Patients with Chronic Leg Ulcer: a national clinical guideline. Edinburgh: SIGN Publications, 1998; no. 26.

4. Moffatt CJ, O'Hare L. Venous leg ulceration: treatment by high compression bandaging. *Ostomy Wound Manage* 1995; 41(4): 16-8, 20, 22-5.

5. Hollinworth H. Nurses assessment and management of pain at wound dressing changes. *J Wound Care* 1995; 4(2): 77-83